

Kogellagers

6000 Serie



	Boring	Buiten diameter	Breedte	Draaggetallen (N)	
	d	D	B	Dynamisch (Cr)	Statisch (Co)
6000	10	26	8	3510	1950
6001	12	28	8	3930	2230
6002	15	32	9	4300	2510
6003	17	35	10	5230	3040
6004	20	42	12	7210	4460
6005	25	47	12	7740	4960
6006	30	55	13	10200	6910
6007	35	62	14	12300	8530
6008	40	68	15	12900	9300
6009	45	75	16	15300	11300
6010	50	80	16	16000	12200
6011	55	90	18	21700	17000
6012	60	95	18	23600	18200
6013	65	100	18	24700	19700
6014	70	110	20	29700	24200
6015	75	115	20	30900	26100
6016	80	125	22	34900	29100
6017	85	130	22	36400	31400
6018	90	140	24	44700	39200
6019	95	145	24	45500	39800
6020	100	150	24	46300	42000
6021	105	160	26	50700	46500
6022	110	170	28	62900	57400
6024	120	180	28	65300	61500



Alle kogellagers te leveren in 2RS, ZZ en open uitvoering.
 Speciale uitvoeringen (bijv. speciaal vetsoort) op aanvraag.
 Draaggetallen voor RVS uitvoering, +/- 20%.

Kogellagers

6200 Serie



	Boring d	Buiten diameter D	Breedte B	Draaggetallen (N)	
				Dynamisch (Cr)	Statisch (Co)
6200	10	30	9	4600	2650
6201	12	32	10	4700	2650
6202	15	35	11	5880	3480
6203	17	40	12	7350	4410
6204	20	47	14	9800	6180
6205	25	52	15	10800	6960
6206	30	62	16	15000	10000
6207	35	72	17	19700	13600
6208	40	80	18	25100	17900
6209	45	85	19	25800	18500
6210	50	90	20	27000	19800
6211	55	100	21	33300	25000
6212	60	110	22	40200	30900
6213	65	120	23	43900	34000
6214	70	125	24	47700	37300
6215	75	130	25	50900	41100
6216	80	140	26	55800	44500
6217	85	150	28	64000	53000
6218	90	160	30	73800	60500
6219	95	170	32	83500	70600
6220	100	180	34	93900	79000
6221	105	190	36	102000	89200
6222	110	200	38	111000	100000
6224	120	215	40	118000	110000



Alle kogellagers te leveren in 2RS, ZZ en open uitvoering.
 Speciale uitvoeringen (bijv. speciaal vetsoort) op aanvraag.
 Draaggetallen voor RVS uitvoering, +/- 20%.

Kogellagers

6300 Serie



	Boring d	Buiten diameter D	Breedte B	Draggetallen (N)	
				Dynamisch (Cr)	Statisch (Co)
6300	10	35	11	6230	3770
6301	12	37	12	7470	4650
6302	15	42	13	8730	5430
6303	17	47	14	10700	6700
6304	20	52	15	12300	7810
6305	25	62	17	17200	11400
6306	30	72	19	21700	14900
6307	35	80	21	25700	17900
6308	40	90	23	31300	22400
6309	45	100	25	37100	26300
6310	50	110	27	47500	35700
6311	55	120	29	55000	41900
6312	60	130	31	62900	48600
6313	65	140	33	71300	55800
6314	70	150	35	80100	63500
6315	75	160	37	87200	71700
6316	80	170	39	94600	80300
6317	85	180	40	102000	89500
6318	90	190	43	110000	99200
6319	95	200	45	118000	109000
6320	100	215	47	133000	131000
6321	105	225	49	143000	141000
6322	110	240	50	168000	158000
6324	120	260	55	181000	167000



Alle kogellagers te leveren in 2RS, ZZ en open uitvoering.
 Speciale uitvoeringen (bijv. speciaal vetsoort) op aanvraag.
 Draaggetallen voor RVS uitvoering, +/- 20%.

Kogellagers

6400 Serie



	Boring d	Buiten diameter D	Breedte B	Draaggetallen (N)	
				Dynamisch (Cr)	Statisch (Co)
6403	17	62	17	22680	10760
6404	20	72	19	28470	14010
6405	25	80	21	30020	15390
6406	30	90	23	43370	23800
6407	35	100	25	55160	31140
6408	40	110	27	63610	36470
6409	45	120	29	76950	44920
6410	50	130	31	83180	49370
6411	55	140	33	88960	53820
6412	60	150	35	101860	64050
6413	65	160	37	110760	72060
6414	70	180	42	128108	89410
6415	75	190	45	137890	99190
6416	80	200	48	164580	125440
6417	85	210	52	164580	127660
6418	90	225	54	184600	157910

Alle kogellagers te leveren in 2RS, ZZ en open uitvoering.
 Speciale uitvoeringen (bijv. speciaal vetsoort) op aanvraag.
 Draaggetallen voor RVS uitvoering, +/- 20%.